
## Wetlands restoration in Protected Landscape Area Kysuce, Nortwest Slovakia



International Course on Wetland Restoration, Czech Republic

Abandoned pit – east part in the area of village Zborov nad Bystricou, and west part in area of Klubina



#### Reproduction site of amphibians


Important for the forest-steppe species - European Green Toad Pseudepidalea viridis - only 2 locations of occurrence in territorial


competence of Kysuce PLA Administration

# Hippochaete variegata

### Home for these and other species











# Problems: reducing of the amount of precipitation

drying up of wetlands

 loss of breeding/living places for amphibians: European Tree Frog (Hyla arborea), European Green Toad (Pseudepidalea viridis), Common Frog (Rana temporaria), Common Toad (Bufo bufo), Yellow-bellied toad (Bombina variegata), Crested newt (Triturus cristatus)

tadpoles dying

Another problem: in the western part, owned by the private company in Klubina, was not allowed to apply any management



### How to help?



#### Deepening of wetlands using excavator



Results in places belonging to Zborov nad Bystricou: higher level of water, tadpoles have enough time for metamorphosis



## The number of *Triturus cristatus* increased, improvement of living conditions for all animals



#### Thank you for your attention



Ing. Zuzana Václavová, State Nature Conservancy of the Slovak Republic, Protected Landscape Area Kysuce, zuzana.vaclavova@sopsr.sk